




ET 70 TN




ET 100 TN




ET 100 TN TW



ET 70 TB



ET 100 TB



ET 100 TB TW

Caratteristiche tecniche - Technical features			70 TN	100 TN	100 TN TW	70 TB	100 TB	100 TB TW
Dimensioni esterne (LxPxH)	External dimensions (LxDxH)	mm	716x719x1046	1000x719x1046	1000x1438x1046	716x719x1046	1000x719x1046	1000x1438x1046
Refrigerazione	Refrigeration		RV	RV	RV	RV	RV	RV
Capacità (lorda/netta)	Capacity (gross/net)	lt	188 / 100	282 / 150	606 / 336	188 / 90	288 / 136	606 / 290
Temperatura prodotto	Product temperature	°C	+2 / +5	+2 / +5	+2 / +5	-18 / -16	-18 / -16	-18 / -16
Sbrinamento	Defrosting		F.C. / S.C.	F.C. / S.C.	F.C. / S.C.	G.C. / H.G.	G.C. / H.G.	G.C. / H.G.
Classe climatica di funzionamento	Operating climatic class	N°/°C/RH	3 / 25 / 60	3 / 25 / 60	3 / 25 / 60	3 / 25 / 60	3 / 25 / 60	3 / 25 / 60
Alimentazione	Supply	V/ph/Hz	230 / 1 / 50	230 / 1 / 50	230 / 1 / 50	230 / 1 / 50	230 / 1 / 50	230 / 1 / 50
Assorbimento elettrico (a regime)	Electrical input (standard)	W/A	330 / 2.5	400 / 3	410 / 2.8	600 / 2.9	690 / 3.6	1300 / 6.8
Assorbimento elettrico (in sbrinamento)	Electrical input (defrosting)	W/A	130 / 0.6	130 / 0.6	130 / 0.6	1800 / 8.5	1500 / 7.3	1900 / 10
Peso netto	Net weight	kg	83	98	197	83	98	197

F.C. / S.C.: Fermata Compressore - Stop Compressor ; G.C. / H.G.: Gas Caldo - Hot Gas